



AIHA Laboratory Accreditation Programs, LLC

acknowledges that

LA Testing

520 Mission Street, South Pasadena, CA 91030

Laboratory ID: 102814

has fulfilled the requirements of the AIHA Laboratory Accreditation Programs (AIHA-LAP), LLC thereby, conforming to the ISO/IEC 17025:2005 international standard, *General Requirements for the Competence of Testing and Calibration Laboratories*. The above named laboratory, along with all premises from which key activities are performed, as listed above, have been accredited by AIHA-LAP, LLC in the following:

ACCREDITATION PROGRAMS

- | | |
|--------------------------------------|-----------------------------------|
| ✓ INDUSTRIAL HYGIENE | Accreditation Expires: 11/01/2011 |
| ✓ ENVIRONMENTAL LEAD | Accreditation Expires: 11/01/2011 |
| ✓ ENVIRONMENTAL MICROBIOLOGY | Accreditation Expires: 11/01/2011 |
| <input type="checkbox"/> FOOD | Accreditation Expires: |

Specific Field(s) of Testing (FoT)/Method(s) within each Accreditation Program for which the above named laboratory maintains accreditation is outlined on the attached **Scope of Accreditation**. Continued accreditation is contingent upon successful on-going compliance with LQAP requirements. This certificate is not valid without the attached **Scope of Accreditation**. Please review the AIHA website for the most current status of the scope of accreditation.

Pamela A. Kostle, CIH
Chairperson, Analytical Accreditation Board

Date Issued: 11/01/2009



AIHA Laboratory Accreditation Programs, LLC SCOPE OF ACCREDITATION

EMSL Analytical, Inc.
520 Mission Street. South Pasadena, CA 91030

Laboratory ID: **102814**
Issue Date: 02/02/2010

The laboratory is approved for those specific field(s) of testing/methods listed in the table below. Clients are urged to verify the laboratory's current accreditation status for the particular field(s) of testing/Methods, since these can change due to proficiency status, suspension and/or revocation. A complete listing of currently accredited Industrial Hygiene laboratories is available on the AIHA-LAP, LLC website at: <http://www.aihaaccreditedlabs.org>

Industrial Hygiene Laboratory Accreditation Program (IHLAP)

Initial Accreditation Date: 11/01/2003

IHLAP Category	Field of Testing (FoT)	Method	Method Description <i>(for internal methods only)</i>
Core Program Testing	Phase Contrast Microscopy (PCM)	NIOSH 7400	

The laboratory participates in the following AIHA-LAP, LLC-approved proficiency testing programs:

- | | |
|--|---|
| <input type="checkbox"/> Metals | <input type="checkbox"/> Organic Solvents |
| <input type="checkbox"/> Silica | <input type="checkbox"/> Diffusive Sampler (3M) |
| <input checked="" type="checkbox"/> Asbestos | <input type="checkbox"/> Diffusive Sampler (SKC) |
| <input type="checkbox"/> Bulk Asbestos | <input type="checkbox"/> Diffusive Sampler (AT) |
| <input type="checkbox"/> Beryllium | <input type="checkbox"/> WASP ¹ (Formaldehyde) |
| <input type="checkbox"/> WASP ¹ (Thermal Desorption Tubes) | |
| <input type="checkbox"/> Pharmaceutical Round Robin | |
| <input type="checkbox"/> Compressed/Breathing Air Round Robin | |
| <input type="checkbox"/> NVLAP (determined at the time of site assessment) | |

¹ Workplace Analytical Scheme for Proficiency